KAKUSHKIMA, Ye. A.

"Change of the Fractional Secretion of 17-Ketosteroids In the Urine In Women of Different Age Groups and During Physiological "Stress" of the Organism (Menstruation, Pregnancy)."

Theses of the Proceedings of the Annual Scientific Sessions 23-26 March 1959 (All-Union Institute of *** Experimental Endocrinology)

From the Scientific Research Institute of Obstetrics and Gynecology (Director-Docent L. G. Stepanov) of the Ministry of Health RSFSR

Possibility of detecting a monophasic menstrual cycle by the ratio of estrogens in urine. Akush.i gin. 35 no.4:6-12 Jl-Ag 159.

(MIRA 12:11)
1. Iz laboratorii endokrinologii (zav. Ye.A. Kakushkina) Instituta
akusherstva i ginekologii (dir. - dotsent L.G. Stepanov) Ministerstva
zdravookhraneniya RSFSR.

(MENSTRUATION DISORDERS urine)
(ESTROGENS urine)


STEPANOV, L.G., red.; KAKUSHKINA, Ye.A., red.; ALEKSANDROV, N.I., red.; RAFAL'KES, S.B., red.; ZUYEVA, N.K., tekhn.red.

[Hormonal research in gynecology; collection of works of the Endocrinology Laboratory at the Research Institute for Midwifery and Gynecology of the Ministry of Public Health of the R.S.F.S.R.] (Cormonal nye issledovaniia v ginekologii; abornik rabet laboratorii endokrinologii Nauchno-issledovatel skogo instituta akusherstva i ginekologii Ministerstva zdravookhraneniia RSFSR. Moskva, Gos. izd-vo med.lit-ry Medgiz, 1960. 201 p. (MIRA 14:7) (GYNECOLOGICAL RESEARCH) (HORMONES, SEI)

KAKUSHKINA, Ye.A.; PLODOVSKAYA, L.A.; MIRER, N.G.

Physiology of the development of offspring born from females subjected to radiation injury in the embryonal period. Zhur. ob.biol. 23 no.4:296-301 Jl-Ag '62. (MIRA 15:9)

1. Iz laboratorii endokrinologii Instituta akusherstva i ginekologii Ministerstva zdravookhraneniya RSFSR.
(X RAYS--PHYSIOLOGICAL EFFECT) (EMERYOLOGY)



KAKUYEVITSKI L.I.; KRUPITSKIY, A.Yu.; SAKOV, A.D.; KHEYFITS, M.E., inzh., red.; NIKOLAYEVA, M.I., red.; BORUNOV, N.I., tekhn. red.

[Manual on relays used in electric protection and automatic control systems] Spravochnik rele zashchity i avtomatiki. Pod red. M.E.Kheifitsa. Moskva, Gosenergoizdat, 1962. 190 p.

(MIRA 15:7)

(Electric relays .-- Handbooks, manuals, etc.)

12(2)

SOV/113-59-6-7/21

AUTHOR:

Kakuyevitskiy, V.A., Candidate of Technical Sciences

TITLE:

The Stressed State of a Piston Pin

uskanoaraansudusenen usunun essanaannaannun mulumun marsislan 693 ambuulu 45 sun arabolalen maraetsta an mis maa bekaa

PERIODICAL:

Avtomobil'naya promyshlennost', 1959, Nr 6, pp 22-25

(USSR)

ABSTRACT:

This article describes tests carried out on piston pins of engines produced by the Gor'kovskiy avtozavod (Gor'kiy Automobile Plant) made of steel 45, to determine the residual stress caused in them by induction surface hardening. Investigation of the most harmful of such stresses, tangential and axial, showed (Figure 1) that compressing tangential and axial stresses were present in the outer surface of the piston pins. The maximum tangential tensions varied according to the depth of the surface hardened layer from 25-55 kg/mm². The maximum axial stresses ranged from 40 to 45 kg/mm². It was concluded that

Card 1/2

SOV/113-59-6-7/21

The Stressed State of a Piston Pin

the piston pins were strong enough. There are 5

diagrams, 1 graph and 8 Soviet references.


Ukrainskiy dorozhno-transportnyy nauchno-issledovatel'-skiy institut (Ukrainian Road Transport Scientific Research Institute) ASSOCIATION:

Card 2/2

EAKUTEVITSKIY, V.A., kand. tekhn. nauk

Using electric gyrobuses in municipal public transportation. Gor. khoz. Nosk. 33 no.7:33-36 Jl '59. (MRA 12:10)

1. Ukrainskiy dorozhno-transportnyy nauchno-issledovatel'skiy institut. (Omnibuses)



KAKUYEVITSKIY. Valeriy Aleksandrovich; TANCHAROVA, V., red.; GORKAVENKO, L., tekhn.red.

[Centralized reconditioning of motor-vehicle parts; technical and economic foundation, problems of organization] TSentralizovannoe vosstanovlenie detalei avtomobilei; tekhniko-ekonomichaskoe obosno-vanie, voprosy organizatsii. Kiev, Gos.izd-vo tekhn.lit-ry USSR, 1960. 53 p. (MIRA 13:9)

(Motor vehicles--Maintenance and repair)

KAKUYEVITSKIY, Valeriy Aleksandrovich; SILKIW, Anatoliy Stepanovich; ASRIYANTS, A.I., red.; DOWSKAYA, G.D., tekhn.red.

[Using plastic deformation methods in reconditioning motor-vehicle parts] Vosstanovlenie detalei avtomobilia metodom davleniia.

Moskva, Nauchno-tekhn.izd-vo M-va avtomobil'nogo transp, i shosseinykh dorog RSFSR, 1960. 55 p. (MIRA 13:6)

(Motor vehicles--Maintenance and repair)

5/129/60/000/04/008/020 E073/E535

Kakuyevitskiy, V. A., Candidate of Technical Sciences

Influence, of Residual Stresses on the Changes in the AUTHOR: TITLE:

Hardness of the Steel 45 Quenched After High Frequency

Heating /

PERIODICAL: Metallovedeniye i termicheskaya obrabotka metallov, 1960, No 4, pp 38-41 (USSR)

ABSTRACT: L. A. Glikman (Refs 1 and 2) and D. M. Zagorodskikh (Refs 3 and 4) established that residual compression stresses bring about an increase in the hardness of the steel, whilst residual tensile stresses lead to a decrease in the hardness. This is in accordance with the well known fact that lateral compression increases the hardness owing to a decrease in the tangential stresses, whilst lateral tensile stresses lead to a decrease in hardness. The authors of this paper investigated the influence of redistribution of the residual stresses caused by plastic deformation on the hardness of specimens made of Steel 45 which were quenched after high frequency The author was interested in determining the

Card 1/4 heating.

-uring forcing interference To determine the

5/129/60/000/04/008/020 E073/E535

Influence of Residual Stresses on the Changes in the Hardness of the Steel 45 Quenched After High Frequency Heating

quantitative relation between the decrease in hardness on the external surface of the specimens and the magnitude of residual stresses which bring about these changes in hardness the most dangerous tangential residual stresses were determined for each of a pair of specimens of which one was not stretched, whilst the other was stretched using various degrees of interference For this purpose specimens were ground along the external diameter to a depth of 0.5 mm and then they were bored layer by layer and cut along the generatrix. In the graphs, Fig 4, the epures of the tangential residual stresses along the wall thickness of the specimens are plotted both for specimens which were and which were not stretched, Comparison of the data plotted in Figs 3 and 4b indicates that a drop in the hardness of the external surface of stretched specimens is due to a transition from residual compression stresses to residual tensile stresses. The obtained Card 3/4 results show that the optimum interference during

S/129/60/000/04/008/020


Influence of Residual Stresses on the Changes in the Hardness of the Steel 45 Quenched After High Frequency Heating


stretching of gudgeon pins is 0.16 to 0.20 mm; in this case the residual stresses on the external surface of the pins will be insignificant, the drop in hardness will not exceed 1 to 2 R and the magnitude of residual deformation along the external diameter will be sufficient for recovery of worn gudgeon pins. There are 4 figures and 6 references, 5 of which are

ASSOCIATION: Ukrainskiy dorozhno-transportnyy nauchnoissledovatel'skiy institut (Ukrainian Road Transportation

Card 4/4

1维祖[初版]







EARUYHVISTRIY, V.A. [Kakuievyst'kyi, V.A.], kand.tekhn.nauk; ARTYUKHOV,
N.A., inzh.

Building surfaces up by pulsation welding. Mekh. sil', hosp. 11
no.9:3-5 S'60.

(Riectric welding)





5/135/61/000/004/003/012 A006/A101

ATTHORS:

Zgonnik, V.M., Engineer, Kakuyevitskiy, V. A., Candidate of Technical

Sciences, Silkin, A. S., and Timofeyeva, I. I., Engineers

TITLE

Reconditioning of Carburized Parts by Electric-Pulse Building-Up

PERIODICAL: Svarochnoye proizvodstvo, 1961, No. 4, pp. 15 - 17

Electric-pulse (vibro-arc) building-up in a liquid jet came into extended use for the reconditioning of worm-out parts. However, nonuniform hardness of built-up surfaces and considerable reduction of fatigue strength restrict the effectiveness of the method. The Ukrainian dorozhno-transportnyy nauchno--issledovatel'skiy institut (Scientific Research Institute of Roads and Transportation) together with the Kiyev avtoremontmyy zavod No. 1 (Automobile Repair Plant No. 1) carried out an investigation to select the proper technological variant for repairing a Cardan shaft crosspiece by electric-pulse building-up assuring the necessary service properties of the part. The following technology was employed: grinding of the cross-pieces for building up to 21.4 0.1mm diameter: building up to 23 - 23.5 mm diameter; grinding to rated dimensions (22-0.008mm). The thickness of the built-up layer after mechanical treatment was 0.3 - 0.35 mm. Build-

Card 16

raminations is calcisones and business in case of the minimum intermediated and modition and subject to season in the subject to the subject

9/135/61/000/004/003/012 A006/A101

Reconditioning of Carburized Parts by Electric-Pulse Building-Up

ing-up was performed on the YAHH -5 (UANZh-5) machine with OBC (OVS) wire of 1.6 mm in diameter under the following conditions: 140 - 150 amp surrent; 12 v arc voltage; 1.1 m/min electrode feed rate; building - up pace : 1.7 mm/rev; rotation speed of part - 11 rmp; inductance - 4 PCT3 -34 (RSTE-34) coilings. The consumption of the cooling liquid (Q) varied from 0.1 to 0.6 1/min. A chemical analysis of the built-up parts showed that when building up with OVS wire under the aforementioned conditions cracks appeared at Q > 0.25 l/min; at Q = 0.3 l/mincracks formed systematically. The location of the cracks indicate that they were caused by tensile tangential residual stresses, formed on the external surface as a result of building-up process. The authors determined residual stresses on pins cut off the cross pieces using the Zaks method. The specimens were drilled from 8 to 16 mm, then bored out to 19 mm. The residual stresses were determined by consecutive grinding of the specimens along the external diameter to 0.25 mm death The nature of changes and magnitude of residual stresses in the remaining section was determined by interpolation from the equilibrium condition, i.e., the equivalence of the sum of positive and negative surfaces of the graph of residual stresses (Fig. 5). The experimental investigation yielded the following results: When

Card 2/6

8/135/61/000/004/003/012 A006/A101

Reconditioning of Carburized Parts by Electric-Pulse Building-Up

building-up worn out carburized steel parts under conventional conditions, the miorchardness of the built-up metal is non-uniform and varies within 330 - 750 kg/mm2 depending on the consumption of the cooling liquid. Burning-out of carbon during the building-up process decreases with a higher consumption of the cooling liquid. Minimum carbon content in the built-up layer at Q = 0.1 1/min 1z 0.56%. As a result of non-uniform heating of the part built-up by electric pulse process a redistribution of residual tangential stresses over the section takes place. In the built-up layer residual tensile stresses arise which amount to 7.5 - 42.5 kg/ mm^2 depending on the consumption of the cooling liquid. At Q > 0.25 1/min these stresses exceed the ultimate strength of the built-up layer. This causes the formation of cracks passing into the base metal. Minimum residual stresses were observed when building-up with Q = 0.1 l/min; in this case cracks were not revealed. Heat treatment (quenching, or carburizing and quenching) of the part built up with small amounts of the cooling liquid considerably increases the magnitude and stability of hardness and entails satisfactory redistribution of residual stresses over the section. This promotes an increase of fatigue strength of the parts. For reconditioning of parts with a high strength reserve, subjected . during operation to static load and low wear, it is recommended to use electric-Card 3/6


S/135/61/000/004/003/012 A006/A101


Reconditioning of Carburized Parts by Electric-Pulse Building-Up

-pulse building up at Q < 0.1 1/min without subsequent heat treatment. The repair of parts with low strength reserve operating under variable load and considerable wear, can be effectively performed by building-up with low consumption of cooling liquid and subsequent heat treatment, i.e., carburizing with quenching and low-temperature tempering. (heating to 800°C, for 20 min. cooling in water, tempering at 180 - 200°C for 1 h). A control of parts built-up by the described technology showed high wear resistance of the pins and sufficient fatigue strength of the parts. There are 7 figures and 4 Soviet references

ASSOCIATION: Ukrdorstransnii

Card 4/6





SILKIN, A.S., inzh.; KAKUYEVITSKIY, V.A., kand.tekhn.nauk

Investigating the wear of cardan spider pins operating in needle bearings. Vest.mash. 41 no.2:9-12 F '61. (MIRA 14:3)

(Motor vehicles—Transmission devices)

KAKUYEVITSKIY, V.A., kand.tekhn.nauk; ARTYUKHOV, M.A.

Fatigue strength of GAZ engine crankshafts. Avt.prom. 28 no.11:
(MIRA 16:1)

1. Ukrainskiy doroshno-transportnyy nauchno-issledovatel'skiy institut.
(Grands and crankshafts—Testing)

KAKUYEVITSKIY, V. A., kand. tekhn. nauk; SILKIN, A. S., inzh.

Residual stresses occurring during the building-up of small-diameter cylindrical parts. Mashinestreenie no.5:63-66 S-0 162. (MIRA 16:1)

1. Ukrainskiy derezhne-transpertnyy nauchne-issledovatel'skiy institut.

(Electric wo ing) (Strains and stresses)

KAKUYIVITSKIY, Valeriy Aleksandrovich, kend. tekhn. nauk; INUMIN,
I.Te., kand. tekhn. nauk, retsenzent; ECVIK, ż.M., red.
izd-va; MATUSEVICH, S.M., tekhn. red.

[Centralized reconditioning of motor-vehicle parts] Tsentralizovamne vosatanovlenie avtomobil nykh detalei; voprosy organizatsii i tekhnologii. Kiev, Cos.izd-vo tekhn. lit-ry
USSR, 1963. 169 p.

(Mirk 16:12)


(Motor vehicles—Maintenance and repair)

SILKIN, A., inzh.; KAKUYEVITSKIY, V., kand. tekhn. nauk
Improving the repair of cardan joints. Avt. transp. 41 no.9:2931 S '63. (MIRA 16:10)

SILKIN, A.S., inzh.; KAKUYEVITSKIY, V.A., kand.tekhn.mauk

Breakdown of hard chromium plating caused by a rocking movement.

Vest.mashinostr. 43 no.9:35-36 S '63. (MIRA 16:10)



POLICY TO AND THE STATE OF THE STATE OF THE COLUMN TO A STATE OF THE S

KAKUYEVITSKIY, V.A.; GUSEYNOV, D.G.

Fatigue strength of automobile crankshafts reconditioned by electric arc welding. Avtom. svar. 17 no.3:71-75 Mr 164. (MIRA 17:11)

1. Ukrainskiy doroshno-transportnyy nauchno-issledovateliskiy institut.

KAKUYEVITSKIY, V.A.; SII.KIN, A.S.

Durability of center pieces of a universal joint reconditioned by build-up welding. Avtom. svar. 17 no.9366-70 S '64.

(MURA 17:10)

1. Ukrainskiy doroshno-transportnyy nauchno-isəledovatel'skiy institut.


KAKUYEVITSKIY, V., kand. tekhn.nauk


Centralized reconditioning of parts in the Ukrainian S.S.R. Avt.transp. 42 no.3:24-27 Mr !64. (MIRA 17:4)

1. Ukrainskiy dorozhno-transportnyy nauchno-issledovatel'skiy institut.

RAMDIEVITSKIY, V., kand. tekhn. nauk; GUSEYNOV, D., inzh.

Zelecting the method for building-up crankshafts of the GA2-51
engines. Avt. transp. 42 no.7:29-32 Jl '64. (MERA 17:11)
1. Ukrainskiy dorozhno-transportnyy nauchno-issledovatel'skiy
institut.





Trudy Tsentr. in-ta psikhiatrii, Vol. IV, 1949, p. 414-20		
SO: U-4934, 29 Oct 53, (Letopis 'Zhurnal 'nykh Statey, No. 16, 1949).).
		, h

DOBERTSOV, Leontiy Nikolayevich; KUNI, P.M., red.; KALI, M.M., red.;
LUK'YANOV, A.A., tekhn.red.

[Atomic physics] Atomasia fizika. Moskva, Gos.izd-vo fiziko-matem.lit-ry, 1960. 248 p.

(Spectrum, Atomic) (Atomic theory)

BATYGIN, Vladimir Vladimirovich; TOPTYGIN, Igor' Nikolayevich; PETRUN'KIN, A.M., red.; KAL', M.M., red.; LUK'YANOV, A.A., tekhn. red.

[Collected problems on electrodynamics] Sbornik zadach po elektrodinamike. Pod red. M.M.Bredova. Moskva, Gos.izd-vo fiziko-matem.lit-ry, 1962. 480 p. (MIRA 15:6) (Electrodynamics)

MIKHAYLOV, Igor' Georgiyevich; SOLOV'YEV, Viktor Alekcandrovich; SYRNIKOV, Yuriy Pavlovich; KALL', M.N., red.; CHEBOTAREVA, A.V., red.

[Fundamentals of molecular acoustics] Osnovy molekuliarnoi akustiki. Moskva, Nauka, 1964. 514 p. (MIRA 17:10)

KUDHEVICH, Boris Ivanovich; FARMAKOVSKIY, S.F., doktor tekhn. nauk, red.; DOROFEYEV, I.T., kand. tekhn. nauk, nauchn. red.; MATVEYEV, S.S., kand. tekhn. nauk, nauchn. red.; DANISHEVSKIY, L.V., kand. tekhn. nauk, nauchn. red.; KAL', M.M., red.

[The theory of gyroscopic instruments; selected works] Teoriia giroskopicheskikh priborov; izbrannye trudy. Leningrad, Sudostroenie. Vol.2. 1965. 295 p. (MIRA 18:4)

BARANOV, Aleksandr Potapovich; KOMAROVSKAYA, N.V.; VASIL'YEV,
L.G., kand. tekhn. nauk, retesnzent; REFIN, I.A., kard.
tekhn. nauk, nauchn. red.; K.Ll., M.M., rede

[New sources of electrical power for ships] Nowye istochniki
elektricheskoi energii dlia sudov. Leningrad, Sudostroenie,
1965. 131 p. (MIRA 18:10)

CHEKUNOV, Konstantin Artem'yevich; BLANIN, V.T., retsenzent;
SAKHAROV, Yu.K., retsenzent; NITSAY, V.Ye., nauchn. red.;
KAL', M.M., red.

[Electric drives of ships] Sudovye elektroprivody. Leningrad, Sudostroenie, 1965. 339 p. (MIRA 18:11)

PERSIANTSHVA, V.P.; KUDRYAVTSEV, N.T.; KAL', V.M.

Dright copperizing of shaped hardware using acid electolytes.

Metalloved. i obr. met. no.9:42-46 5 58. (MIRA 11:10)

I. Moskovskiy khimiko-tekhnologicheskiy institut imeni Mendeleyeva.
(Protective coatings) (Electrolytes)

CIA-RDP86-00513R000620010006-6 "APPROVED FOR RELEASE: 03/20/2001 AND IN THE STREET HEAD STREET AND A STREET SHEET STREET SHEET STREET STREET STREET SHEET SHEET

CZECHOSLOVAKIA / Chemical Technology. Leather. Fur. Tanning Agents. Technical Gelatine. Proteins.

Abs Jour: Ref Zhur-Khimiya, No 22, 1958, 76046.

Author : Kale Shkutek.

: Not given. Inst

: The Application of Ion Exchangers in the Lea-Title

ther Industry.

Orig Pub: Veda a vyzk. v prumyslu kozedeln, 1956, 1,


63-69.


Abstract: The ion exchange action of the cation Extra F


was investigated as well as the possibility of its application for regulating the pH in first tanning liquors according to the requirements set for leathers that are used for various pur-


Card 1/2


95













RADEMACHER, R., DVM; KALAB, DVM; VAŠATKO, Z., DVM; SKROVNÝ, R.


Czechoslovakia


Brno, Veterinarství, No 2, 1963, pp 53-54


"The First Case of Pseudorabies of Cattle Found in the Region of East Bohemia."











CZECHOSLOVAKIA/Human and Animal Pathogens.

F

Abs Jour

: Ref Zhur Biol., No 1, 1959, 771

Author

: Kalab, D., Navotna, S.

Inst

. -

Title

: Biochemical Investigation of Swine Erysipelas.

I. Use of Paper Chromatography to Differentiate Strains

of Swine Erysipelas Stimulants

Orig Pub

: Veterin med., 1953, 3, No 3, 149-160

Abstract

: No abstract.

Card 1/1

- 22 -

Manch, Paris, press one cheats; oran into, Lacicley, Webr.

Recommendate attacher on awine organization. Pt. 6. Veter medicine 8 no.3:177-15% by 163.

1. Broyche National Emergence, femovice na Hane, Director of the embergence 157 or.; V. Beriscok.

CZECHOSLOVAKIA


KALAB, Dusan, Graduate Chemist, and STAROSTIK, Ladislav, Dr of Veterinary Medicine, Bioveta National Enterprise, Ivanovice na Hane, V. MARJANEK, Dr of Veterinary Medicine, director.

"Biochemical Study of the Erysipelas of Swine. VI. Immunology Against Erysipelas"

Prague, Veterinarni Medicina, Vol 8 (36), No 3, May 1963, pp 177-104.

Abstract [Author's German summary]: Experiments were made with mice to prove the presence of a soluble immunizing antigen which enters the live medium during the growth of Erysipelothrix rhusiopathiae suis. This antigen produces the formation of specific antibodies in rabbits, which can be proved by means of agglutination and agar precipitation. The presence of specific antibodies against the soluble antigen was determined even in commercial homologous hyperimmune serums against erysipelas of swine. Ten references.

30



BURDA, J.; KALAB, J.

Primary sarcoma of the stomach. Cesk. gastroent. vyz. 17
no.4:231-237 Je *63.

1. Oddeleni pro hrudni a brisni chirurgii UVN v Praze, vedouci
doc. dr. B. Placak.

(STOMACH NEOFLASMS) (SARCOMA)

(LYMPHOSARGOMA) (SARCOMA, RETICULUM CELL)

PLACAK, B.; PRAZAK,M.; BURDA,J.; KALAB,J.; BARTAK,L.

Analysis of our 1st 100 patients surgically treated for mitrel stenosis. Rozh. chir. 42 no.11:764-774 N'63.

1. Oddeleni pro chirurgii hrudni a brisni UVN v Praze; vedoucis doc.dr. B.Flacak.

PRAZAK, M.; PLACAK, B. t KALAB, J.

Our experiences with the Crafoord-Semming apparatus for extracorporeal circulation. Rozh. chir. 42 no.11:780-784 8:63.

1. Oddeleni pro chirurgii hrudni a brisni UVN v Prase; vedouci: doc.dr.B.Placak.

KALAB, J.; BURDA, J.

Successful stomach resection in hemophilia A. Rozhl. chir. 43 no.8:540-544 Ag 164.

1. Oddeleni pro chirurgii hrudni a brisni UVN v Praze (vedouci doc. dr. B. Placak).

.PISEK, Jaroslav, inz.; KALAB, Jiri, inz.; MARTINEK, Vladimir, inz.

Reconstruction of the ZIF 300 boring set. Geol pruzkum 6 no.8: 249 Ag 164

l. Jachymovske doly; Geologicky pruzkum National Enterprise, Pribram; Central Administration of Radioactive Raw Material Regularch and Mining, Development Center, Pribram.

KAlAb, M.

CZECHOSLOV.KIA / Chemical Technology. Chemical Products H and Their Application. Food Industry.

Abs Jour: Ref Zhur-Khimiya, No 9, 1959, 33141.

Author : Kalab, M. Inst : Not givon.

Title : Quantitative and Qualitative Changes of Pectins

in Somifabricated Wild Applos.

Orig Pub: Chem. zvesti, 1958, 12, No 8, 487-495.

Abstract: Specimons of sulfitized pulp and sulfitized fruits,

obtained from wild apples containing 1.0-1.5% of pectins, were prepared. On storage, the total content of the insoluble pectins decreased in the sulfitized fruits considerably faster than in the sulfitized pures. The viscosity of the

Card 1/2

267

KALAB, M.

"Substances accompanying pectin. I Qualitative determinations."

CHEMICKE ZVESTI, Praha, Czechoslovakia, Vol. 13, No. 5, May 1959.

Monthly List of East European Accessions (EEAI), IC, Vol. 8, No. 9, September 1959. Unclassified.

PELIKAN, V.; KALAB, M.; NOVOSADOVA, J.; JIRKA, Z.

Determination of tryptophan metabolism during sports activity.

Cas. lek. cesk. 102 no.35:967-969 30 Ag '63.

1. Ustav telovychovneho lekarstvi lekarske fakulty PU v Olomouci, prednosta prof. dr. V. Felikan, GSs.

(TRYPTOPHAN) (METABOLISM) (EXERTION)

(XANTHURENATES) (SPORT MEDICINE)

PELIKAN, V.; KALAB, M.; KOVAR, M.

Studies on functions of the small intestine in infectious hepatitis with special reference to dietic therapy. Cas.lek.cesk 100 no.43: 1367-1369 27 0 161.

1. Castroenterologicka laborator PU, Olomouc, prednosta doc. MNDr. V. Pelikan. Infekcni odd. OUNZ-Prostejov, prednosta MUDr. M. Kovar.

(HEPATITIS INFECTIOUS nutrition & diets)
(INTESTINE SMALL physical)

KAIAB, M.; PELIKAN, V.

Determining the urea along with arginine and ornithine by the reaction with p-dimethylaminobenzaldehyde. Coll Cz Chem 27 no.7:1639-1644 Jl '62.

1. Gastroenterologisches Laboratorium, Palacky Universitat, Olomouc.

CZECHOSLOVAKIA

KALAB, N: PELIKAI, V.

Gastroenterological Laboratory of the Medical Faculty of Palacky Iniversity, Olomous (for both)

Prague, Sorlection of Szec. oslovak Chemical Communications, pp 2265-2267

"On the Activity of Arginase IV. Electrophoretic Separation of Arginase of Human Erythrozytes."

KALAB, M.; PELIKAN, V.

On the activity of arginase. Pt.4. Coll Cz Chem 28 no.8:2265-2267 Ag 163.

l. Gastroenterologisches Laboratorium, Medizinische Fakultat, Palacky-Universität, Olomouc.

PEGRIMOVA, E.; KALAB, M.; VYKYDAL, M.

Chloroquine excretion in the urine. Cas. lek. cesk. 104 no.22: 595-597 4 Je 165.

1. III. interni klinika lekarske fakulty Palackeho University v Olomouci (prednosta: prof. dr. V. Pelikan).

KALAB, Hadomil, inz.; PARIZEK, Otto; BILIKOVA, Marie; FIALA, Bohualav


Corrugated prefabricates from reinforced concrete. Poz stavby
11 no.4:191-195 '63.

1. Remedelsky stavebne technicky rozvoj, Brno.


KRAL, M., RNDr.; KALAB, V., promovany matemetik


Beatless cams. Jemna mech opt 7 no.6:183-184 Je '62.

1. Ustav pro vyskum optiky a jemne mechaniky, Prerov.



"APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R000620010006-6





"APPROVED FOR RELEASE: 03/20/2001 CIA-RDP86-00513R000620010006-6 等的,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是 我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,我们就是一个人,

KALAB, V.

CZECHOSLOVAKIA/Chemical Technology - Processes and Equipment

H.

in Chemical Technology.

Abs Jour

: Ref Zhur - Khimiya, No 16, 1958, 54222

Author

: V. Kalab, K. Vnukova, IRzhepish.

Inst

Title

: The Efficiency of Extraction Columns Equipped with

Mixers.

Tuly

Orig Pub

Chem. listy, 1957, 51, No 7, 1249-1255, PRANA, CZECHOSLOVAKIA.

Abstract

The efficiency of two semi-industrial extraction

columns with blace mixers were investigated:


1) those equipped with cross ring discs welded to the

inner surface of the column, and

2) those having the sections filled with cylindrical packing. The blades of the mixer are located between

the discs and the sections.

Card 1/1



KALAB, Vladimir; PETRU, Kamil; VALICA, Vladimir

Effect of raw materials on the yield of ammonium nitrate. Chem prum 12 no.9:484-486 S 162.

1. Chemicke zavody W. Piecka, n.p., zavod Zilina.


KALAB, V., promovany matematik


"Textbook of linear programming" by [prof., inz.] B. Kordá. Reviewed by V. Kalab. Jemna mech opt 7 no.11:360 N '62.


KALAB, V., promovany matematik; MAZUR, J., inz.

Aspherical surfaces, Pt.3. Jemna mech opt 8 no.11:380 N'63.

1. Ustav pro vyzkum optiky a jemne mechaniky, Prerov.







L 34732-66 ACC NR: AP6025211

SOURCE CODE: 02/0008/66/000/002/0257/0259

AUTHOR: Kalab, Vladimir; Bielik, Milan

34

ORG: W. Pieck's Chemical Enterprises, National Enterprise, Zilina (Chemicke zavody W. Piecka, n.p.)

TITLE: Automatic regulation of steam bath temperature

SOURCE: Chemicke listy, no. 2, 1966, 257-259

TOFIC TAGS: automatic regulation, chemical laboratory apparatus

ABSTRACT: The principle of the apparatus designed by the authors is the maintaining of the temperature by means of an electric heater regulated by a thermostat. The advantage of the apparatus is that it allows a very exact maintaining of the selected temperatures, usually within ± 0.2°C. Detailed description of the glassware used in the arrangement is given. Orig. art. has: 1 figure. [JPRS: 35,397]

SUB CODE: 07, 13 / SUBM DATE: 10Mar65 / ORIG REF: 003

LS

Card 1/1

L 42257-66

ACC NR: AP6031491

SOURCE CODE: CZ/0008/66/000/004/0537/0538

AUTHOR: Kalab, Vladimir; Skopal, Jan

ORG: W. Pieck Chemical Works n.p., Zilina (Chemicke zavody W. Piecka, n.p., zavod Zilina)

TITLE: Filtration insert

SOURCE: Chemicke listy, no. 4, 1966, 537-538

TOPIC TAGS: filtration, polymethylmethacrylate, chemical laboratory apparatus

ABSTRACT: The authors suggest an improvement of the Buchner funnel generally used in analytical chemistry. In a Buchner funnel the filtration is rather slow because the liquid flows through the capillaries of the filter medium only where the paper is in contact with the openings of the funnel. The authors designed a ring made in polymethylmethacrylate 4 mm thick provided with 14 openings with a 19 mm diameter. This insert is located between the paper and the Buchner funnel. In an experiment with caprolactam the filtration time was cut by the insert from 21 minutes to 1 minute. Orig. art. has: 2 figures. [JPRS: 36,464]

SUE CODE: 07 / SUEM DATE: 30Jun65 / ORIG REF: 002 / OTH REF: 001

cond 1/1 fell

KALAB, Vladimir; PETRU, Kamil

Improvement of the Beckman rearrangement in the preparation of \(\mathcal{E}\)-caprelactam. Chem prum 14 no. 1:28-30 Ja *64.

1. Chemicke zavody W.Piecka, n.p., zavod Zilina

Questions of industrial production of hydroxylamine. Chem prum 14 no.9:465-466 S '64.

1. Chemicke zavody W. Piecka National Enterprise, Silina.

KALAB, Vladimir

Measuring aggressive gas currents. Chem listy 58 no.10:
1162-1164 0 64.

1. Chemicke zavody W. Piecka National Enterprise, Zilina.

KALAB, Vl., promovany matematik

Aspherical surfaces. Pt.2. Jemna mech opt 8 no.10:307-309

1. Ustav pro byzkum optiky a jemne mechaniky, Prerov.

FAIT, M.; KALAB, Z.; SAIBERT, Z.

Problems of cervicobrachalgia and brachalgia in children. Acta chir. orthop. traum. cech. 31 no.2:151-153 Ap '64.

l. Ortopedicke oddeleni (vedouci doc. dr. M. Fait), neurologicke oddeleni (vedouci MUDr. V.Holub) Detske fakultni nemocnice V Brne.

FINTAJSLOVA, O.; KALAB, Z.; TOMAN, M.

Congenital brain malformations accompanied by so-called hydrocephalus. Cesk. ped. 20 no.12:1062-1065 D *65.

1. II. detska klinika lekarske fakulty University J.Ev. Purkyne v Brne (prednosta - prof. dr. M. Toman) a Vynkumny ustav pediatricky v Brne (reditel - prof. dr. Z. Brunecky).

KALAB, Z.; FAJT, M.; STEINEROVA, H.

Familial recurrent amyotrophic neuralgia in children. Ceek. pediat. 20 no.10:883-886 0 65.

l. Vyzkumny ustav pediatricky v Brne a Ortopedicke a neurologicke oddeleni Fakultni detske nemocnice v Brne.

KAIAB, Zdenek

Affective reflex convulsions in childhood. Cesk, neur. 23 no.4: 246-250 Je '60.

1. Nervove oddeleni Krajske detske nemocnice v Brne, prednosta prim. MUDr. V. Holub. (CONVUISIONS in inf. & child)

KALAB, Zd.; TYNOVA, L.

Degeneration of the gray corebrospinal matter in childhood, Cosk, pediat, 16 no.6:489-495 Je '61.

1. Neurologieke oddeleni krajske detske memosnice v Brne, predmosta MUDr. Vaelav Holub.

(BRAIN dis)